

GOWER PARK

TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
16	12/8	0	7/5	4/3


R5

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R509C4BCB
PROJECT#: PSS175E51CB-1
DATE: 2/1/2018 | DRAWN BY: AMG

MIN. USE ZONE: 49' x 38'

PLAYCRAFT REP:
Playground Safety Services, Inc.



GOWER PARK
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
16	12/8	0	7/5	4/3


R5

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R509C4BCB
PROJECT#: PSS175E51CB-1
DATE: 2/1/2018 | DRAWN BY: AMG

MIN. USE ZONE: 49' x 38'

GOWER PARK
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0




FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PC 2485
NEUTRON
SPINNER



STRUCTURE#: FREPC2485
PROJECT#: PSS175E51CB-1
DATE: 2/1/2018 | DRAWN BY: AMG

MIN. USE ZONE: 19' x 19'

PLAYCRAFT REP:
Playground Safety Services, Inc.



GOWER PARK
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0




FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: FREPC1445
PROJECT#: PSS175E51CB-1
DATE: 2/1/2018 | DRAWN BY: AMG

MIN. USE ZONE: 71' x 21'

PLAYCRAFT REP:
Playground Safety Services, Inc.



GOWER PARK
SITE PLAN

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
16	12/8	0	9/5	4/3

R5


FOR KIDS
AGES
5-12

GENERAL NOTES:

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT#: PSS175E51CB-1

DATE: 2/1/2018 | DRAWN BY: AMG

MIN. USE ZONE: 68' x 71'

PLAYCRAFT REP:

Playground Safety Services, Inc.



GOWER PARK
SW VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE#: R509C4BCB
PROJECT#: PSS175E51CB-1
DATE: 2/1/2018 | DRAWN BY: AMG

GOWER PARK
NE VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE#: R509C4BCB

PROJECT#: PSS175E51CB-1


DATE: 2/1/2018 | DRAWN BY: AMG



GOWER PARK
SW VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE#: FREPC2485

PROJECT#: PSS175E51CB-1


DATE: 2/1/2018 | DRAWN BY: AMG



GOWER PARK
SW VIEW

RV5

FOR KIDS
AGES
5-12



STRUCTURE#: FREPC1445
PROJECT#: PSS175E51CB-1
DATE: 2/1/2018 | DRAWN BY: AMG

PLAYCRAFT
SYSTEMS



Bill of Materials

GOWER PARK
Greg Taylor

Project# PSS175E51CB-1
2/1/2018

Item	Description	Quantity
R509C4BCB		
HS-1004-R	Collars	123
GF-7002	Dome Cap, R5	15
S-1011-R5-11ft	Post, 11ft R5	2
S-1012-R5-12ft	Post, 12ft R5	1
S-1013-R5-13ft	Post, 13ft R5	2
S-1015-R5-15ft	Post, 15ft R5	7
S-1016-R5-16ft	Post, 16ft R5	7
S-1019-R5-19ft	Post, 19ft R5	4
S-1021-R5-21ft	Post, 21ft R5	4
S-1101-R5	Square Deck	9
S-1105-R5	Half Deck	8
S-1107-R5	Curved Deck	4
S-1109-R5	Balcony Deck	2
S-1109-R5-T	Balcony Deck w/ Telescope	1
S-1206-12R5	ADA Stairs, 12in Rise w/ Walls	1
S-1209-24-R5	Transfer Station, 36in-L	1
S-1210-96R5	Climber, Vertical Ladder 90-96in	1
S-1216-4CR5	Climber, Grip 42-48in	1
S-1220-3R5	Climber, Centipede 30-36in	1
S-1232-4-CRVHR	Climber, Track 42-48in (Curved w/ Hand Rails)	1
S-1233-3R5-HWMC	Climber, Disc 30-36in (w/ HW, MC)	1
S-1234-5CR5	Climber, Spiral Step 54-60in	1
S-12891-4R5	Center Access Deck (42-48in)	1
S-12891-DD5R5	Center Access Deck (DTD, 60in)	1
S-1301-60R5	Wall, Steel 55in (60in gap)	1



Bill of Materials (continued)

Item	Description	Quantity
S-1301-R5	Wall, Steel 36in (Standard)	8
S-1312-R5	Steel Wall (w/ HDPE Seat)	1
S-1328-RMT	Steel Wall (Curved w/ Wheel)	1
S-1509-90R5	Bridge, Burma (90in)	1
S-1525-R5	Link, Ramp (Inclined 24in)	1
S-1615-R5	Store Panel	1
S-1617-R5	Window Panel	2
S-1625-2R5	Dual Driver Panel	1
S-1629-R5	Inclusive Panel, Slider	1
S-1643-R5	Pilot Panel	1
S-1655-3R5	Reach Panel, 36in	1
S-1686-R5	Inclusive Panel, Mosaic	1
S-1688-R5	Inclusive Panel, Maze	1
S-1702-6R5	Slide, Double 66 - 72in (Dual Express)	1
S-1710-8R5-RRRSR	Slide, Twister 96in (R-R-R-S-R)	1
S-18019-R5	Roof, Silo	2
S-18027-R520	Shade Sail Canopy, 20ft	1
S-1910-72R5I	Talk Tube 66-72in (On Deck, Right)	1
S-1910-R5	Talk Tube (Post Mounted, Left)	1
S-1962-R5	Play Seat	1
HS-1100-2	Deck to Deck Hardware	15
FREPC2485		
A2-2485	PC 2485 Neutron Spinner	1
FREPC1445-RV52		
S-10156-RV5	Post (156in) RV5	8
S-1445-RV52	UltraZip (Small)	1
HS-1007-RV	Extra Hardware	2